

**Listing of the Claims:**

This listing of claims will replace all prior versions and listings of claims in the application:

**Claims 1-24 canceled.**

25. (New) A polypropylene resin composition comprising:
  - a) from 40 wt% to 80 wt% of component A selected from a propylene homopolymer or a propylene copolymer comprising at most 5 wt% of a comonomer selected from ethylene, a C<sub>4-12</sub>  $\alpha$ -olefin, or mixtures thereof; and
  - b) from 20 wt% to 60 wt% of component B comprising B-1 and B-2, wherein B-1 is a copolymer of propylene with ethylene having a propylene content from 55 wt% to 85 wt%, and B-2 is a propylene copolymer comprising 15 wt% to 50 wt% of propylene, comprising a comonomer selected from ethylene, a C<sub>4-12</sub>  $\alpha$ -olefin, or mixtures thereof, and having a molecular weight distribution by gel permeation chromatography of 3.0 or less and a blockness by NMR of 0.8 or less;wherein the composition comprises at least 3 wt% of B-2, and has an intrinsic viscosity ratio of B-1 to A at most of 1.5 and an intrinsic viscosity ratio of B-1 to B-2 at least 0.8.
26. (New) The composition of claim 25, having a weight ratio of B-1 to B-2 from 1.2 to 6.0.
27. (New) The composition of claim 25, wherein B-2 comprises 15 wt% to 35 wt% of propylene.
28. (New) The composition of claim 25, wherein A has a stereoregularity of at least 96%.
29. (New) The composition of claim 25, wherein B is dispersed as layers or as needles in A, and an average length of the dispersed layer is 1.5  $\mu$ m or longer.
30. (New) A molding comprising the composition of claim 25.
31. (New) A film comprising the composition of claim 25.